

ASTA Food Safety Pathogen Working Group References

Food Safety Bibliography

(Revised: June 10, 2014)

1. Abdul-Raouf, U. M., Beuchat, L. R., and Ammar, M. S.. 1993. Survival and Growth of Escherichia coli O157:H7 on Salad Vegetables. *Applied and Environmental Microbiology*. 59:1999-2006
2. Abuladze, T., Li, M., Menetrez, M., Dean, T., Senecal, A., and Sulakvelidze, A.. 2008. Bacteriophages Reduce Experimental Contamination of Hard Surfaces, Tomato, Spinach, Broccoli, and Ground Beef by Escherichia coli O157:H7. *Applied and Environmental Microbiology*. 74:6230-6238
3. Al-Reza, S. M., Rahman, A., Lee, J., and Kang, S. C.. 2010. Potential roles of essential oil and organic extractgs of Zizyphus jujuba in inhibiting food-borne pathogens. *Food Chemistry*. 119(3):981-986
4. Backer, H.D., J.C. Mohle-Boetani, S. B. Werner, S.L. Abbott, J. Farrar, and D.J. Vugia. 2000. High incidence of extra-intestinal infections in a *Salmonella* havana outbreak associated with alfalfa sprouts. *Publis Health Reports*. 115:339-344
5. Bajpai, V., Rahman, A., Choi, U., Youn, S., and Kang, S.. 2007. Inhibitory parameters of the essential oil and various extracts of *Metasequoia glyptostroboides* Miki ex Hu to reduce food spoilage and food-borne pathogens. *Food Chemistry*. 105(3):1061-1066
6. Barak, J.D. and A.S. Liang. 2008. Role of soil, crop debris, and a plant pathogen in *Salmonella enterica* contamination of tomato plants. *PLoS ONE*. 3(2):e1657
7. Barak, J.D. and Schroeder, B.K.. 2012. Interrelationships of food safety and plant pathology: The life cycle of human pathogens on plants. *Annual Review of Phytopathology*. 50:241-266
8. Barak, J.D., Jahn, C.E., Gibson, D.L., & Charkowski, A.O.. 2007. The role of cellulose and O-antigen capsule in the colonization of plants by *Salmonella enterica*. *MPMI*. 20(9):1083-1091
9. Barak, J.D., Kramer, L.C., and Hao, L.. 2011. Colonization of tomato plants by *Salmonella enterica* is cultivar dependent, and type 1 trichomes are preferred colonization sites. *Applied and Environmental Microbiology*. 77(2):498-504
10. Barak, J.D., L. Gorski, P. Naraghi-Arani, and A.O.Charkowski. 2005. *Salmonella enterica* virulence genesare required for baterial attachment to plant tissue. *Appl. Envirn. Microbiol.* 71:5685-5691
11. Barak, J.D., L.C. Whitehand, and A.O. Charkowski. 2002. Differences in attachment of *Salmonella enterica* serovars and *Escherichia coli* O157:H7 and alfalfa sprouts. *Applied and Environ. Microbiol.* 68(10):4758-4763
12. Beretti, M. and Stuart, D.. 2008. Food safety and environmental quality impose conflicting demands on Central Coast growers. *California Agriculture*. 62(2):68-73
13. Berger, C.N., S.V. Sodha, R.K. Shaw, P.M. Griffin, D.Pink, P. Hand and G. Frankel. 2010. Fresh fruit and vegetables as vehicles for the transmission of human pathogens. *Environmental Microbiology*. 12(9):2385-2397
14. Berry, E.D., Wells, J.E., et al.. 2012. *Escherichia coli* O157:H7 in bioaerosols from cattle production areas: evaluation of proximity and airborne transport on leatf green crop contamination. CPS.
15. Beuchat, L. R.. 2002. Ecological factors influencing survival and growth of human pathogens on raw fruits and vegetables. *Microbes and Infection*. 4(4):413-423
16. Beuchat, L. R.. 1997. Comparison of chemical treatments to kill *Salmonella* on alfalfa seeds destined for sprout production. *International Journal of Food Microbiology*. 34(3):329-333

Food Safety Bibliography

(Revised: June 10, 2014)

17. Beuchat, L.R.. 1996. Pathogenic microorganisms associated with fresh produce. *Journal of Food Protection.* 2:115-216
18. Brandl, M. and Amundson, R.. 2008. Leaf Age as a Risk Factor in Contamination of Lettuce with *Escherichia coli* O157:H7 and *Salmonella enterica*. *Applied and Environmental Microbiology.* 74:2298-2306
19. Brandl, M.T.. 2006. Human pathogens and the health threat of the phyllosphere. In *Microbial Ecology of Aerial Plant Surface*, ed. M. Baily. Cambrige, UK: CABI Publ.
20. Brandl, M.T.. 2006. Fitness of human enteric pathogens on plants and implications for food safety. *Annual Rev. Phytopathol.* 44:367-392
21. Brandl, M.T.. 2004. Fitness of *Salmonella enterica* in the phyllosphere. *Phytopathology.* 94(Suppl):128
22. Brandl, M.T. A.F. Haxo, A.H. Bates, R.E. and Mandrell. 2004. Comparison of survival of *Campylobacter jejuni* in the phyllosphere with that in the rhizosphere of spinach and radish plants. *Appr. Environ. Microbiol.* 70:1182-1189
23. Brandl, M.T. and Sundin, G.W.. 2013. Focus on food safety: Human pathogens on plants. *Phytopathology.* 103(4):304-305
24. Brandl, M.T., C.E. Cox and M.Teplicski. 2013. *Salmonella* interactions with plants and their associated microbiota. *Phytopathology.* 103:316-325
25. Brandl,M.T., W.G.Miller, A.H. Bates, and R.E. Mandrell. 2005. Producton of autoinducer 2 in *Salmonella enterica* serovarThompson contributes to its fitness in chickens but not on cilantro leaf surfaces. *Appl. Enviro. Microbiol.* 71:2653-2662
26. Breuer, T., et al. 2001. A multistate outbreak of *Escherichia coli* 0157:H7 infections linked to alfalfa sprouts grown from contaminated seeds. *Emerging Infectious Dis.* 7:977-982
27. Brooks, J.T., S.Y. Rowe, P.Shillam, D.M. Heitzel, S.B. Hunter, L. Slutsker, R.M. Hoekstra, and S.P. Luby. 2001. *Salmonella typhimurium* infections transmitted by chlorine-pretreated clover sprout seeds. *Am Journal of Epidemiology.* 154(11):1020-1028
28. Buck, J.W., R.R. Walcott, and L.R. Beuchet. 2002. Recent trends in microbiological safety of fruits and vegetables. *Plant Health Progress.* doi 10.1094/PHP-2003-0121-01-RV
29. Charkowski, A.O., J.D. Barak, C.Z. Sarreal and R.E. Mandrell. 2002. Differences in growth of *Salmonella enterica* and *Escherichia coli* O157:H7 on alfalfa sprouts. *Applied and Environ. Microbiol.* 68(6):3114-3120
30. Choi, S., J. Bana, H. Kim, L.R. Beuchat, J-H. Ryu. 2011. Survival and colonization of *Escherichia coli* O157:H7 on spinach leaves as affected by inoculum level and carrier, temperature, and relative humidity. *J of App Micro.* 111(6):1465-1472
31. Cooley, M.B., D. Carychao, L. Crawford-Miksza, M.T. Jay, C. Myers, C. Rose, C. Keys, J.Farrar, R. E. Mandrell. 2007. Incidence and tracking of *Escherichia coli* O157:H7 in a major produce production region in California. *PLoS ONE.* 2(11):e1159. doi:10.1371/journal.pone.0001159
32. Cooley, M.B., W.G. Miller ., and R.E. Mandrell. 2003. Colonization of *Arabidopsis thaliana* with *Salmonella enterica* and *enterohemorrhagic Escherichia coli* O157:H7 and competition by *Enterobacter asburiaeae*. *Applied and Environ. Microbiol.* 69:4915-4926

Food Safety Bibliography

(Revised: June 10, 2014)

33. Cooley, M.B., W.G. Miller and R.E. Mandrell. 2003. Human pathogenic bacteria contamination of *Arabidopsis thaliana* seed following root inoculation. .
34. CPS. 2012. The Center for Produce Safety's 2012 Research Symposium. CPS.
35. D. Roy, S. Panchal, B.A. Rosa and M. Melotto. 2012. *Escherichia coli* O157:H7 induces stronger plant immunity than *Salmonella enterica* Typhimurium SL1344. *Phytopathology*. 103:326-332
36. Dept of Health and Human Services. 2013. Standards for the growing, harvesting, packing, and holding of produce for human consumption. Department of Health and Human Services.
37. Dong, Y., A.L. Iniguez, B.M.M. Ahmer, and E.W. Triplett. 2003. Kinetics and strain specificity of rhizosphere and endophytic colonization by enteric bacteria on seedlings of *Medicago sativa* and *Medicago truncatula*. *Applied and Environ. Microbiol.* 69(3):1783-1790
38. Doyle, M.E.. 2005. FRI Briefings: Food antimicrobials, cleaners, and sanitizers. Food Research Institute.
39. Ercolani, G.L.. 1979. Differential survival of *Salmonella typhi*, *Escherichia coli*, and *Enterobacter aerogenes* on lettuce in the field. *Zentralbl. Bakteriol. Naturwiss.* 134:402-411
40. Fahey, J.W., P.J. Ourisson, and F.H. Degnon. 2006. Pathogen detection, testing, and control in fresh broccoli sprouts. *Nutrition Journal*. 5:13
41. Fett, W., M.L. Tortorello, and T.J. Fu. 2005. Seed sprouts: the state of microbiological safety. *Microbiology of Fresh Produce*. p. 167-219
42. Fett, W.F. and P.H. Cooke. 2003. Reduction of *Escherichia coli* O157:H7 and *Salmonella* on Laboratory-Inoculated Alfalfa Seed with Commercial Citrus-Related Products. *J. Food Protection*. 66(7):1158-1165
43. Fett, W.F. and P.H. Cooke. 2003. Scanning electron microscopy of native biofilms on mung bean sprouts. *Can. J. Microbiol.* 49:45-50
44. Fletcher, J., J.E. Leach, K. Eversole and R. Tauxe. 2013. Human pathogens on plants: Designing a multidisciplinary strategy for research. *Phytopathology*. 103:306-315
45. Franz, E., A.A. Visser, A.D. Van Diepeningen, M.M. Klerks, A.J. Termorshuizen and H.C. van Bruggen. 2006. Quantification of contamination of lettuce by GFP-expressing *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium. *Food Microbiology*. 24(1):106-112
46. Franz, E., van Diepeningen, A., de Vos, O., and Bruggen, A.. 2005. Effects of Cattle Feeding Regimen and Soil Management Type on the Fate of *Escherichia coli* O157:H7 and *Salmonella enterica* Serovar Typhimurium in Manure, Manure-Amended Soil, and Lettuce. *Applied and Environmental Microbiology*. 71:6165-6174
47. Gandhi, M. and Matthews, K.. 2003. Efficacy of chlorine and calcinated calcium treatment of alfalfa seeds and sprouts to eliminate *Salmonella*. *International Journal of Food Microbiology*. 87(3):301-306
48. Gautam, D., M. Payton, J. Fletcher, and L. Ma. 2012. Surface survival and internalization of *Salmonella* through natural cracks on developing cantaloupe fruit, alone or in the presence of the plant pathogen *Erwinia tracheiphila*. International Association of Food Prot Ann Meeting.
49. GFSI. 2007. The Global Food Safety Initiative: Guidance Document Fifth Edition. GFSI.

Food Safety Bibliography

(Revised: June 10, 2014)

50. Gibbs, D. S., Anderson, G. L., Beuchat, L. R., Carta, L. K., and Williams, P. L.. 2005. Potential Role of *Diploscapter* sp. Strain LKC25, a Bacterivorous Nematode from Soil, as a Vector of Food-Borne Pathogenic Bacteria to Preharvest Fruits and Vegetables. *Applied and Environmental Microbiology*. 71:2433-2437
51. Gill, C.J., Keene, W.E., Mohle-Boetani, J.C., Farrar, J.A., Waller, P.L., Hahn, C.G., Cieslak, P.R.. 2003. Alfalfa seed decontamination in a Salmonelle outbreak. *Emerging Infectious Diseases*. 9(4):474-479
52. Gorski, L., J.D. Palumbo and K.D. Nguyen. 2004. Strain-specific differences in the attachment of *Listeria monocytogenes* to alfalfa sprouts. *J. Food Prot.*. 67:2488-2495
53. Gorski, L., J.D. Palumbo and R.E. Mandrell. 2003. Attachment of *Listeria monocytogenes* to radish tissue is dependent on temperature and flagellar motility. *Appl. Environ. Microbiol.* 69:258-266
54. Gourabathini, P., Brandl, M., Redding, K., Gunderson, J., and Berk, S.. 2008. Interactions between Food-Borne Pathogens and Protozoa Isolated from Lettuce and Spinach. *Applied and Environmental Microbiology*. 74:2518-2525
55. Green, S., Inbar, E., Michel, F., Hadar, Y., and Minz, D.. 2006. Succession of Bacterial Communities during Early Plant Development: Transition from Seed to Root and Effect of Compost Amendment. *Applied and Environmental Microbiology*. 72:3975-3983
56. Greig, J. and Ravel, A.. 2009. Analysis of foodborne outbreak data reported internationally for source attribution. *International Journal of Food Microbiology*. 130(2):77-87
57. Gu, G., Cevallos-Cevallos, J.M. Richardson, S.M., Bartz, J.A., and van Bruggen, A.H.C.. 2011. Internal colonization of *salmonella enterica* serovar Typhimurium in tomato plants. *PlosOne*. 6(11):e277340
58. Gu, G., J.M. Cevallos-Cevallos, G.E. Vallad, and A. H.C. van Bruggen. 2013. Organically managed soils reduce internal colonization of tomato plants by *Salmonella enterica* serovar Typhimurium. *Phytopathology*. 103:381-388
59. Guo, X.. 2001. Survival of *Salmonellae* on and in tomato plants from te time of inoculation at flowering and early stages of fruit development through fruit ripening. *Appl Environ Microbiol*. 67:4760-4764
60. Gupte, A.R., C.L.E. de Rezende, and S.W. Joseph. 2003. Induction and resuscitation of viable but nonculturable *Salmonella enterica* serovar Typhimurium DT104. *Applied and Environ. Microbiol.* 69(11):6669-6675
61. Habteselassie, M.Y., Bischoff, M., Applegate, B., Reuhs, B., Turco, R.F.. 2010. Understanding the role of agricultural practices in the potential colonization and contamination by *Escherichia coli* in the Rhizosphere of fresh produce. *J Food Prot.*. 73(11):2001-2009
62. Hanning, I.B., J.d. Nutt, and S.C. Ricke. 2009. Salmonellosis outbreaks in the United States due to fresh produce: sources and potential intervention measures. *Foodborne Pathogens and Disease*. 6(6):635-648
63. Hara-Kudo, Y., et al. 2004. Survival of *Escherichia coli* O157 and *Salmonella* in Seeds during storage and contamination of sprouts germinated from the seeds. *Japanese J Food Microbiology*. 21(1):14-22
64. Hirneisen, K.A. and K.E. Kniel. 2013. Norovirus surrogate survival on spinac during preharvest growth. *Phytopathology*. 103:389-394

Food Safety Bibliography

(Revised: June 10, 2014)

- 65 . Hora, R., et al. 2007. Inactivation of Escherichia coli O157:H7 and Salmonella on artificially or naturally contaminated mung beans (*Vigna radiata* L) using a stabilized oxychloro-based sanitizer. Letters in Applied Microbiology. 44(2):188-193
- 66 . Howard, M. B. and Hutcheson, S. W.. 2003. Growth Dynamics of *Salmonella enterica* Strains on Alfalfa Sprouts and in Waste Seed Irrigation Water. Applied and Environmental Microbiology. 69:548-553
- 67 . Hu, H., et al. 2004. Heat treatments to enhance the safety of mung bean seeds. J. Food Protection. 67:1257-1260
- 68 . Inami, G.B., and S.E. Moler. 1999. Detection and isolation of *Salmonella* from naturally contaminated alfalfa seeds following an outbreak investigation. J. Food Protection. 62:662-664
- 69 . Inami, G.B., et al. 2001. Two processing methods for the isolation of *Salmonella* from naturally contaminated alfalfa seeds. J. Food Protection. 64:1240-1243
- 70 . Ingham, S.C. et al. 2004. Escherichia coli contamination of vegetables grown in soils fertilized with noncomposted bovine manure: garden-scale studies. Applied and Environ. Microbiol. 70:6420-6427
- 71 . Iniguez, A.L., Y. Dong, H.D. Carter B.M Ahmer, J.M. Stone, and E.W. Triplett. 2005. Regulation of enteric endophytic bacterial colonization by plant defense. Mol. Plant-Microbe Interact. 18:169-178
- 72 . Islam, M., J. Morgan, M.P. Doyle, S.C. Phatak, P. Millner, and X. Jiang. 2004. Fate of *Salmonella enterica* serovar Typhimurium on carrots and radishes grown in fields treated with contaminated manure composts or irrigation water. Applied and Environ. Microbiol. 70(4):2497-2502
- 73 . Islam, M., M.P. Doyle, S.C. Phatak, P. Millner, and X. Jiang. 2004. Persistence of enterohemorrhagic *Escherichia coli* O157:H7 in soil and leaf lettuce and parsley grown in fields treated with contaminated manure composts or irrigation water. F. Food Prot. 67:1365-1370
- 74 . Itoh, Y., Y. Sugita-Konishi, F. Kasuga, et al. 1998. Enterohemorrhagic *Escherichia coli* O157:H7 present in radish sprouts. Applied and Env Microbiology. 64(4):1532-1535
- 75 . Jablasone, J., K. Warriner and M. Griffiths. 2005. Interactions of *E. coli* O157:H7, *Salmonella typhimurium*, and *Listeria monocytogenes* {on} plants cultivated in gnotobiotic system. International J. of Food Micrbiol. 99:7-18
- 76 . Jaquette, C. B., Beuchat, L. R., and Mahon, B. E.. 1996. Efficacy of Chlorine and Heat Treatment in Killing *Salmonella stanley* Inoculated onto Alfalfa Seeds and Growth and Survival of the Pathogen during Sprouting and Storage. Applied and Environmental Microbiology. 62:2212-2215
- 77 . Jay, M.T. et al. 2007. Escherichia coli O157:H7 in feral swine near spinach fields and cattle, central California coast. Emerging Infectious Disease. 13(12):1908-1911
- 78 . Jay-Russell, M.. 2011. Investigation of potential reservoirs of shiga toxin-producing *E. coli* and *Salmomella* in produce production areas of Arizona and Mexico. CPS.
- 79 . Jiang, X., J. Morgan and M. P. Doyle. 2002. Fate of *Escherichia coli* O157:H7 in Manure-Amended Soil. Applied and Environ. Microbiol. 68:2605-2609
- 80 . Jiang, Xiuping.. 2010. Environmental effects on the growth or survival of stress-adapted *Escherichia coli* O157:H7 and *Salmonella* spp. in compost. CPS.

Food Safety Bibliography

(Revised: June 10, 2014)

81. Johannessen, G., et al. 2005. Potential uptake of E.coli O157:H7 from organic manure into crisphead lettuce. *Applied and Environ. Microbiol.* 71:2221-2225
82. Kazue, T. and J.F. Frank. 1999. Penetration of Escherichia coli O157:H7 into lettuce tissues as affected by inoculum size and temperature and the effect of chlorine treatment on cell viability. *J Food Protection.* 63(4):434-440
83. Keskinen, L., Burke, A., and Annous, B.. 2009. Efficacy of chlorine, acidic electrolyzed water and aqueous chlorine dioxide solutions to decontaminate Escherichia coli O157:H7 from lettuce leaves. *International Journal of Food Microbiology.* 132(2-3):134-140
84. Kocharunchitt, C., Ross, T., and McNeil, D.. 2009. Use of bacteriophages as biocontrol agents to control Salmonella associated with seed sprouts. *International Journal of Food Microbiology.* 128(3):453-459
85. Kumar, M., R. Hora, M. Kostrzynska, W.M. Waites, and K. Warriner. 2006. Inactivation of Escherichia coli O157:H7 and Salmonella on mung beans, alfalfa, and other seed types destined for sprout production by using an Oxychloro-Based sanitizer. *J. Food Prot..* 69(7):1571-1578
86. Lang, M. M., Ingham, B. H., and Ingham, S. C.. 2000. Efficacy of novel organic acid and hypochlorite treatments for eliminating Escherichia coli O157:H7 from alfalfa seeds prior to sprouting. *International Journal of Food Microbiology.* 58(1-2):73-82
87. Lapidot, A., Romling, U., and Yaron, S.. 2006. Biofilm formation and the survival of *Salmonella Typhimurium* on parsley. *International Journal of Food Microbiology.* 109(3):229-233
88. Leverentz, B., W. S. Conway, Z. Alavidze, W. J. Janisiewicz, Y. Fuchs, M. J. Camp, E. Chighladze, and A. Sulakvelidze.. 2001. Examination of bacteriophage as a biocontrol method for *Salmonella* on fresh-cut fruit: a model study.. *Journal of Food Protection.* 64:1116–1121
89. Liao, C.H., and W. Fett. 2003. Isolation of *Salmonella* from alfalfa seed and demonstration of impaired growth of heat-injured cells in seed homogenates. *International J. Food Microbiol.* 82:245-253
90. Liu, B. and D. W. Schaffner. 2006. Quantitative analysis of the growth of *Salmonella Stanley* during alfalfa sprouting and evaluation of *Enterobacter aerogenes* as its surrogate. *J. Food Protection.* 70(2):316-322
91. Lopez-Velasco, G., Sbodio, A., et al.. 2012. Assessment of root uptake and systemic vine-transport of *Salmonella enterica* sv. *Typhimurium* by melon (*Cucumis melo*) during field production. *International Journal of Food Microbiology.* 158(1):65-72
92. Luo, Yaguang. 2011. Improving produce safety by stabilizing chlorine in washing solutions with high organic load. CPS.
93. Lynch, M.F., Tauxe, R.V., and Hedberg, C.W.. 2008. The growing burden of foodborne outbreaks due to contaminated fresh produce: risks and opportunities. *Epidemiology and Infection.* 137(3):307-315
94. Mahou, B.D., A. Ponda, W.N. Hall, K. Komatsu, and S.E. Dietrich. 1997. An international outbreak of *Salmonella* infection caused by alfalfa sprouts grown from contaminated seeds. *Journal Infect Dis.* 175:876-882
95. Manning, S.D., Motiwala, A.S., Springman, A.C., et al.. 2008. Variation in virulence among clades of Escherichia coli O157:H7 associated with disease outbreaks. *The National Academy of Sciences of the USA.*
96. Matthews,K.R. ed. 2006. *Microbiology of fresh produce.* ASM Press.

Food Safety Bibliography

(Revised: June 10, 2014)

97. Mawdsley, J. L., Bardgett, R. D., Merry, R. J., Pain, B. F., and Theodorou, M. K.. 1995. Pathogens in livestock waste, their potential for movement through soil and environmental pollution. *Applied Soil Ecology*. 2(1):1-15
98. Mohle-Boetani, J.C., J.A. Farrar, S.B. Werner, D. Minassian, R. Bryant, S. Abbott, L. Slutsker, and D.J. Vugla. 2001. *Escherichia coli* O157 and *Salmonella* infections associated with sprouts in California, 1996-1998. *Ann Intern Med.* 135:239-247
99. Montville, R., and D.W. Shaffner. 2005. Monte Carlo simulation of pathogen behavior during the sprout production process. *Applied and Environ. Microbiol.* 71:746-753
100. Montville, R., and D.W. Shaffner. 2004. Analysis of published sprout seed sanitization studies show treatments highly variable. *Journal of Food Protection.* 67:758-765
101. Morris, C.E., J.M. Monier, and M.A. Jacques. 1997. Methods for observing microbial biofilms directly on leaf surfaces and recovering them for isolation of culturable microorganisms. *Appl. Environ. Microbiol.* 63:1570-1576
102. Moyne, A.-l., Sudarshana, M.R., Blessington, T., Koike, S.T., Cahn, M.D., Harris, L.J.. 2011. Fate of attenuated *Escherichia coli* O157:H7 ATCC 700728 in field-inoculated lettuce. *Food Microbiology.* 28:1417-1425
103. NACMCF. 1999. Microbiological safety evaluations and recommendations on fresh produce. *Int J Food Microbiol.* 52(3):123-153
104. Nakano, S., T. Kobayashi, K. Funabiki, A. Matsumura, Y. Nagao, and T. Yamada. 2003. Development of a PCR assay for detection of Enterobacteriaceae in foods. *J. Food Protection.* 66(10):1798-1804
105. Nathan, R.. 1997. American seeds suspected in Japanese food poisoning epidemic. *Nature Medicine.* 3:705-706
106. National Advisory Committee on Microbiological Criteria for Foods. 1999. Microbiological safety evaluations and recommendations on sprouted seeds. *International Journal of Food Microbiology.* 52(3):123-153
107. Natvig, E. E., Ingham, S. C., Ingham, B. H., Cooperband, L. R., and Roper, T. R.. 2002. *Salmonella enterica* Serovar Typhimurium and *Escherichia coli* Contamination of Root and Leaf Vegetables Grown in Soils with Incorporated Bovine Manure. *Applied and Environmental Microbiology.* 68:2737-2744
108. Nebraska. . Food safety database with lots of links. foodsafety.unl.edu/resources/links.html#research.
109. Neetoo, H., Chen, H.. 2011. Individual and combined application of dry heat with high hydrostatic pressure to inactivate *Salmonella* and *Escherichia coli* O157:H7 on alfalfa seeds. *Food Microbiol..* 28(1):119-127
110. Neetoo, H., Pizzolato, T., and Chen, H.. 2009. Elimination of *Escherichia coli* O157:H7 from Alfalfa Seeds through a combination of High Hydrostatic Pressure and Mild Heat. *Applied and Environmental Microbiology.* 75:1901-1907
111. Neetoo, H., Ye, M., and Chen, H.. 2009. Factors affecting the efficacy of pressure inactivation of *Escherichia coli* O157:H7 on alfalfa seeds and seed viability. *International Journal of Food Microbiology.* 131(2-3):218-223
112. Neetoo, H., Ye, M., and Chen, H.. 2008. Potential application of high hydrostatic pressure to eliminate *Escherichia coli* O157:H7 on alfalfa sprouted seeds. *International Journal of Food Microbiology.* 128(2):348-353

Food Safety Bibliography

(Revised: June 10, 2014)

- 113 . Noel, J.T., J.N. Smith, M. Fatica, K.R. Schneider, B.M.M. Ahmer and M. Teplitski. 2010. *Salmonella SdiA* recognizes N-acyl homoserine Lactone signals from *Pectobacterium carotovorum* in Vitro, but not in a bacterial soft rot. *MPMI.* 23(3):273-282
- 114 . Oroojalian, F., Kasra-Kermanshahi, R., Azizi, M., and Bassami, M.. 2009. Phytochemical composition of the essential oils from three apiaceae species and their antibacterial effects on food-borne pathogens. *Food Chemistry.* November 2009
- 115 . Park, C. M., Taormina, P. J., and Beuchat, L. R.. 2000. Efficacy of allyl isothiocyanate in killing enterohemorrhagic *Escherichia coli* O157:H7 on alfalfa seeds. *International Journal of Food Microbiology.* 56(1):13-20
- 116 . Penas, E., Gomez, R., Frias, J., Vidal-Valverde, C.. 2008. Application of high-pressure treatment on alfalfa (*medicago sativa*) and mung bean (*Vigna radiata*) seeds to enhance the microbiological safety of their sprouts. *Food Control.* 19(7):698-705
- 117 . Penn State. . Food safety database for consumers, food service/retailers, processors, and producers. foodsafety.psu.edu/database.html.
- 118 . Poza-Carrion, C, T.Suslow, and S. Lindow. 2013. Resident bacteria on leaves enhance survival of immigrant cells of *Salmonella enterica*. *Phytopathology.* 103:341-351
- 119 . Proctor, M., M. Hamacher, M. Tortorello, J. Archer and J. P. Davis. 2001. Multistate Outbreak of *Salmonella* Serovar Muenchen Infections Associated with Alfalfa Sprouts Grown from Seeds Pretreated with Calcium Hypochlorite. *Journal of Clinical Microbiology.* 39:3461-3465
- 120 . Rahme, L.G., E.J. Stevens, S.F. Wolfert, J. Shao, R.G. Tompkins, and F.M. Ausubel. 1995. Common virulence factors for bacterial pathogenicity in plants and animals. *Science.* 268:1899-18902
- 121 . Rajkovic, A., Smigic, N., and Devlieghere, F.. 2009. Contemporary strategies in combating microbial contamination in food chain. *International Journal of Food Microbiology.* December 2009
- 122 . Richardson, K., and B. George. 2000. Sprouts and foodborne disease. A bulletin for the Australian Food Industry.
- 123 . Robertson, L.J., G.S. Johannessen, B.K. Gjerde, and S. Loncarevic. 2002. Microbiological analysis of seed sprouts in Norway. *Int. J Food Microbiology.* 75(1-2):119-126
- 124 . Roy, D., S. Panchal, B.A. Rosa, and M. Melotto. 2013. *Escherichia coli* O157:H7 induces stronger immunity than *Salmonella enterica* Typhimurium SL1344. *Phytopathology.* 103:326-332
- 125 . Salmon, T.P., Gorensel, W.P., Newman, P.D., Lima, L.. 2010. Food safety and rodent control in leafy green crops. California Department of Food and Agriculture.
- 126 . Seo, K.H. and J.F. Frank. 1999. Attachment of *Escherichia coli* O157:H7 to lettuce leaf surface and bacterial viability in response to chlorine treatment as demonstrated by using confocal scanning laser microscopy. *J. Food Prot..* 62(1):3-9
- 127 . Sharma, M., D.T. Ingram, J.R. Patel, P.D. Millner, W. Xiaolin, A.E. Hull, and M.S. Donnenberg. 2009. A novel approach to investigate the uptake and internalization of *Escherichia coli* O157:H7 in spinach cultivated in soil and hydroponic medium. *J of Food Protection.* 7:1513-1520
- 128 . Sharma, R. R. and Demirci, A.. 2003. Treatment of *Escherichia coli* O157:H7 inoculated alfalfa seeds and sprouts with electrolyzed oxidizing water. *International Journal of Food Microbiology.* 86(3):231-237

Food Safety Bibliography

(Revised: June 10, 2014)

- 129 . Slutsker, L., Altekrose, S., and Swerdlow, D.. 1998. Foodborne Diseases: Emerging Pathogens and Trends. *Infectious Disease Clinics of North America.* 12(1):199-216
- 130 . Solomon, E.B., S. Yaron, and K.R. Matthews. 2002. Transmission of *Escherichia coli* O157:H7 from contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization. *Applied and Environ. Microbiol.* 68:397-400
- 131 . Sommers, C., Fan, X., Niemira, B., and Rajkowski, K.. 2004. Irradiation of ready-to-eat foods at USDA's Eastern Regional Research Center-2003 update. *Radiation Physics and Chemistry.* 71(1-2):511-514
- 132 . SproutNet. 2006. Sprouts and foodborne disease. <http://www.sproutnet.com/SproutNet.htm>.
- 133 . Stewart, D.S., et al. 2001. Growth of *Salmonella* during sprouting of alfalfa seeds associatged with salmonellosis outbreaks. *J. Food Protection.* 64:618-622
- 134 . Stuart, D., Shennan, C., Brown, M.. 2006. Food safety versus environmental protection on the central california coast: exploring the science behind an apparent conflict. *The Center for Agroecology & Sustainable Food Syst. Research Brief #10*
- 135 . Suslow, T.. 2012. On-farm evaluation of the prevalence of human enteric bacterial pathogens during the production of melons in California. CPS.
- 136 . Suslow, T. V., J. Wu, W.F. Fett, and L.J. Harris. 2002. Detection and elimination of *Salmonella* mbandanka from naturally contaminated alfalfa seed by treatment with heat or calcium hypochlorite. *J. Food Prot..* 65:452-458
- 137 . Suslow, T., et al.. 2012. Comparative assessment of field survival of *Salmonella enterica* and *Escherichia coli* O157:H7 on cilantro (*Coriandrum sativum*) in relation to sequential cutting and re-growth. CPS.
- 138 . Takeuchi, K. and J.F. Frank. 2000. Penetration of *Escherichia coli* O157:H7 into lettuce tissues as affected by inoculum size and temperature and the effect of chlorine treatment on cell viability. *J. Food Protection.* 63(4):434-440
- 139 . Talley, J.L. et al. 2009. Association of *Escherichia coli* O157:H7 with filth flies (Muscidae and Calliphoridae) captured in leafy greens fields and experimental transmission of *E. coli* O157:H7 to spinach leaves by house flies (Diptera: Muscidae). *Journal of Food Protection.* 72(7):1547-1552.
- 140 . Taormina, P.J., and L.R. Beuchat. 1999. Comparison of chemical treatments to eliminate enterohemorrhagic *Escherichia coli* O157:H7 on alfalfa seeds. *J. Food Protection.* 62:318-324
- 141 . Taormina, P.J., L.R. Beuchat, and L. Slutsker. 1999. Infections associated with eating seed sprouts: an international concern. *Emerging Infectious Diseases.*
- 142 . Tauxe, R. V.. 2002. Emerging foodborne pathogens. *International Journal of Food Microbiology.* 78(1-2):31-41
- 143 . Teplitski, M., Brak, J. D., and Schneider, K. R.. 2009. Human enteric pathogens in produce: unanswered ecological questions with direct implications for food safety. *Current Opinion in Biotechnology.* 20(2):166-171

Food Safety Bibliography

(Revised: June 10, 2014)

- 144 . Teplitski, M., J.T. Hoel, A. Alagely, and M.D. Danyluk. 2011. Functional genomics studies shed light on the nutrition and gene expression of non-typhoidal Salmonella and enterovirulent E. coli in produce. Food Research International. June 2011
- 145 . Teplitski, Max. 2011. Reducing tomato contamination with Salmonella through cultivar selection and maturity at harvest. CPS.
- 146 . Ukuku, D.O. and W.F. Fett. 2002. Relationship of cell surface charge and hydrophobicity to strength of attachment of bacteria to cantaloupe rind. Journal of Food Protection. 65(7):1093-9.
- 147 . Van Beneden, CA, W.E. Keene, R.A. Strang, D.H. Werker, A.S. King, B. Mahon, K. Hedberg, A. Bell, M.T. Kelly, V.K. Balan, W.R. MacKenzie, and D. Fleming. 1995. Multinational outbreak of *Salmonella enterica* serotype Newport infections due to contaminated alfalfa sprouts. JAMA. 281(2):158-162
- 148 . Van der Linden, I, Cottyn, B., Uyttendaele, M., Vlaemynck, G., Maes, M., & Heyndrickx, M.. 2013. Long-term survival of *Escherichia coli* O157:H7 and *Salmonella enterica* on butterhead lettuce seed, and their subsequent survival and growth on the seedlings. International J of Food Micro. 161(2013):214-219
- 149 . Wachtel, M.R., L.C. Whitehand and R.E. Mandrell. 2002. Association of *Escherichia coli* O157:H7 with preharvest leaf lettuce upon exposure to contaminated irrigation water. J Food Protection. 45(1):18-25
- 150 . Warriner, K., et al. 2005. Seed decontamination as an intervening step for eliminating *Escherichia coli* on salad vegetables and herbs. J. Sci. Food and Ag. 85:2307-2313
- 151 . Warriner, K., et al. 2003. Interaction of *Escherichia coli* with growing salad spinach plants. J. Food Protection. 66:1790-1797
- 152 . Warriner, K., S. Spaniolas, M. Dickinson, C. Wright and W.M. Waites. 2003. Internalization of bioluminescent *Escherichia coli* and *Salmonella Montevideo* in growing bean sprouts. J. Applied Microbiology. 95:719-727
- 153 . Wasala, L., J.L. Talley, U. DeSilva, J. Fletcher, and a. Wayadande. 2013. Transfer of *Escherichia coli* O157:H7 to spinach by house flies, *Musca domestica* (Diptera: Muscidae). Phytopathology. 103:373-380
- 154 . Wayadande, Astri. 2012. Differential susceptibility of spinach grown under slow- and fast-growth conditions to enteric bacterial contamination. CPS 2012 Poster.
- 155 . Wayadande, Astri. 2011. Fly reservoirs of *E. coli* O157:H7 and their role in contamination of leafy greens. CPS.
- 156 . Wells, J.M., and J.E. Butterfield. 1997. *Salmonella* contamination associated with bacterial soft-rot of fresh fruits and vegetables in the marketplace. Plant Disease. 81:867-872
- 157 . Whitaker, B., Gorny, J.. 2013. 2013 CPS Symposium: 10 Key Learnings. CPS.
- 158 . Winfield, M.D. and E.A. Groisman. 2003. Role of nonhost environments in the lifestyles of *Salmonella* and *Escherichia coli*. Applied and Env Microbiology. 69(7):3687-3694

Food Safety Bibliography

(Revised: June 10, 2014)

- 159 . Winthrop, K.L., M.S. Palumbo, J.A. Farrar, J.C. Mohle-Boetani, S. Abbott, M.E. Beatty, G. Inami, and S.B. Werner. 2003. Alfalfa sprouts and *Salmonella* Kottbus infection: a multistate outbreak following inadequate seed disinfection with heat and chlorine. *J. Food Prot.*. 66(1):13-17
- 160 . Wood, M.. 2000. Safer sprouts. *Agricultural Research*. August 2000
- 161 . Wright, K.M., S. Chapman, K. McGeachy, S. Humphris, E. Campbell, I.K. Toth, and N.J. Holden. 2013. The endophytic lifestyle of *Escherichia coli* O157:H7: Quantification and internal localization in roots. *Pytopathology*. 103:333-340
- 162 . Wu, F.M., et al. 2001. Factors influencing the detection and enumeration of *Escherichia coli* O157:H7 on alfalfa seeds. *Inter.J. Food Microbiology*. 71:93-99
- 163 . Xia, X., Zhao, S., Smith, A., McEvoy, J., Meng, J., and Bhagwat, A.. 2009. Characterization of *Salmonella* isolates from retail foods based on serotyping, pulse field gel electrophoresis, antibiotic resistance and other phenotypic properties. *International Journal of Food Microbiology*. 129(1):93-98
- 164 . Zheng, J., Allard, S., Reynolds, S., Millner, P., Arce, G., Blodgett, R.J., and Brown, E.W.. 2013. Colonization and internalization of *Salmonella enterica* in tomato plants. *Applied and Environmental Microbiology*. 79(8):2494-2502